

# iHFG Standard Components

## Room Layout Sheet

RLS Room Code



1br-is-n-28-i

RDS Room Code

1br-is-n-28-i

Room Name | 1 Bed Room - Isolation - Negative Pressure, 28m<sup>2</sup>

AS	ADJUSTABLE SHELF
BD/IE	BED - INPATIENT, ELECTRIC
BLK	LOCKER - BEDSIDE
BLVI	BLIND - VENETIAN, INTEGRAL
BRCTVW	BRACKET - TELEVISION, WALL MOUNTED
CBD/WD	CUPBOARD - WARDROBE
CG	CORNER GUARD
CHR/P	CHAIR - PATIENT
CPS	CURTAIN - PRIVACY SCREEN
CTPS	CURTAIN TRACK - PRIVACY SCREEN
DDG	DISPENSER - DISPOSABLE GLOVES
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DIAS	DIALYSIS STATION
DSA	DISPENSER - SOAP, ANTISEPTIC
FS	FIXED SHELF
HGR	HANGING RAIL
HWB/B	HAND WASH BASIN - TYPE 'B'
IVS	IV STAND - MOBILE
OWIN	OBSERVATION WINDOW
PO/1	POWER OUTLET - SINGLE
TAP/ST	TAPWARE - SENSOR TAP
TB/O	TABLE - OVERBED
TP/HS	TELEPHONE - HANDSET, STANDARD
TV	TELEVISION
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG	WASTE BIN - GENERAL
WP/L	WALL PANEL, LAMINATE
WPP	WALL PROTECTION PANEL



REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	01.03.16	NB					
2	GENERAL REVISION	04.04.22	ES					



International Health Facility Guidelines at:  
[www.healthdesign.com.au/iHFG](http://www.healthdesign.com.au/iHFG)  
 Editable version of Standard Components on  
 Health Facility Briefing System (HFBS) at:  
[www.healthdesign.com.au/TAHPI](http://www.healthdesign.com.au/TAHPI)



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
ES	CC	04.04.22	1 : 50	1 OF 4
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
1br-is-n-28-i		1br-is-n-28-i-1		2

This document is for advisory purpose only

# iHFG Standard Components

## Room Layout Sheet

RLS Room Code


1br-is-n-28-i

RDS Room Code


1br-is-n-28-i

Room Name | 1 Bed Room - Isolation - Negative Pressure, 28m<sup>2</sup>


BD/IE	BED - INPATIENT, ELECTRIC
BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BLK	LOCKER - BEDSIDE
BRCBS	BRACKET - SUCTION BOTTLE
BRCTVW	BRACKET - TELEVISION, WALL MOUNTED
CBD/WD	CUPBOARD - WARDROBE
CG	CORNER GUARD
COM/2	COMMUNICATION OUTLET - DOUBLE
COM/IPTV	COMMUNICATION OUTLET - INTERNET PROTOCOL TELEVISION
CPS	CURTAIN - PRIVACY SCREEN
CTPS	CURTAIN TRACK - PRIVACY SCREEN
DDG	DISPENSER - DISPOSABLE GLOVES
DFP	DOOR AND DOOR FRAME PROTECTION
DGL	DOUBLE GLAZED
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DIAS	DIALYSIS STATION
DSA	DISPENSER - SOAP, ANTISEPTIC
EC	EMERGENCY CALL
HWB/B	HAND WASH BASIN - TYPE 'B'
IVS	IV STAND - MOBILE
L/NL	LIGHT - NIGHT LIGHT
L/RL	LIGHT - READING LIGHT
LS/3	LIGHT SWITCH - 3 GANG
LS/E	LIGHT SWITCH - ENSUITE
LS/EL	LIGHT SWITCH - EXAMINATION LIGHT
LS/R2	LIGHT SWITCH - ROOM, 2 WAY
MA	MEDICAL AIR
O2	OXYGEN
OPV	OBSERVATION PANEL WITH INTEGRAL VENETIAN BLINDS
OWIN	OBSERVATION WINDOW
PC	PATIENT CALL
PCH	PATIENT CALL HANDSET
PO/1	POWER OUTLET - SINGLE
PO/1E	POWER OUTLET - EMERGENCY, SINGLE
PO/2E	POWER OUTLET - EMERGENCY, DOUBLE
PO/C	POWER OUTLET - CLEANER'S
S	SUCTION
SAC	STAFF ASSIST CALL
SB	SUCTION BOTTLE
SBK	SPLASHBACK
SK4	FLOOR VINYL COVERED SKIRTING
SP	SERVICES PANEL
TAP/ST	TAPWARE - SENSOR TAP
TB/O	TABLE - OVERBED
TP/HS	TELEPHONE - HANDSET, STANDARD
TV	TELEVISION
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG	WASTE BIN - GENERAL
WP/L	WALL PANEL, LAMINATE
WPF	WALL PAINT FINISH
WPP	WALL PROTECTION PANEL




**ELEVATION 2**




**ELEVATION 3**



**ELEVATION 4**



**ELEVATION 5**



**ELEVATION 6**

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	01.03.16	NB					
2	GENERAL REVISION	04.04.22	ES					



International Health Facility Guidelines at:  
[www.healthdesign.com.au/iHFG](http://www.healthdesign.com.au/iHFG)  
 Editable version of Standard Components on  
 Health Facility Briefing System (HFBS) at:  
[www.healthdesign.com.au](http://www.healthdesign.com.au) ©TAHPI



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
ES	CC	04.04.22	1 : 50	2 OF 4
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
1br-is-n-28-i		1br-is-n-28-i-2		2

This document is for advisory purpose only

# iHFG Standard Components

## Room Layout Sheet

RLS Room Code

1br-is-n-28-i

Room Name | 1 Bed Room - Isolation - Negative Pressure, 28m<sup>2</sup>

RDS Room Code


1br-is-n-28-i

### GENERAL NOTES:


THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.


### CEILING LEGEND:




### ELECTRICAL LEGEND:



### MECHANICAL LEGEND:



### FIRE SERVICES LEGEND:



**REFLECTED CEILING PLAN**

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	01.03.16	NB					
2	GENERAL REVISION	04.04.22	ES					iHFG

# iHFG Standard Components

Room Layout Sheet

RLS Room Code


1br-is-n-28-i

RDS Room Code


1br-is-n-28-i

Room Name

1 Bed Room - Isolation - Negative Pressure, 28m<sup>2</sup>





ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	01.03.16	NB					
2	GENERAL REVISION	04.04.22	ES					

 <b>International Health Facility Guidelines</b>	International Health Facility Guidelines at: <a href="http://www.healthdesign.com.au/iHFG">www.healthdesign.com.au/iHFG</a> Editable version of Standard Components on Health Facility Briefing System (HFBS) at: <a href="http://www.healthdesign.com.au">www.healthdesign.com.au</a> ©TAHPI			DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
	ES	CC		04.04.22		4 OF 4		
				REVIT FILE NAME	PAPER DRAWING ID		ISSUE	
				1br-is-n-28-i	1br-is-n-28-i-4		2	

This document is for advisory purpose only