

# iHFG Standard Components

## Room Layout Sheet

RLS Room Code


1br-is-p-28-i

RDS Room Code


1br-is-p-28-i

Room Name | 1 Bed Room - Isolation - Positive Pressure, 28m<sup>2</sup>

BD/IE	BED - INPATIENT, ELECTRIC
BLK	LOCKER - BEDSIDE
BLVI	BLIND - VENETIAN, INTEGRAL
BRCTVW	BRACKET - TELEVISION, WALL MOUNTED
CBD/BD	CUPBOARD - BED HEAD
CBD/SP	CUPBOARD - SPECIAL
CBD/WD	CUPBOARD - WARDROBE
CHR/P	CHAIR - PATIENT
CHR/V	CHAIR - VISITOR
CPS	CURTAIN - PRIVACY SCREEN
CTPS	CURTAIN TRACK - PRIVACY SCREEN
DDG	DISPENSER - DISPOSABLE GLOVES
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DIAS	DIALYSIS STATION
DSA	DISPENSER - SOAP, ANTISEPTIC
HWB/B	HAND WASH BASIN - TYPE 'B'
IVS	IV STAND - MOBILE
OWIN	OBSERVATION WINDOW
PO/1	POWER OUTLET - SINGLE
PO/1E	POWER OUTLET - EMERGENCY, SINGLE
SK4	FLOOR VINYL COVERED SKIRTING
TAP/ST	TAPWARE - SENSOR TAP
TB/O	TABLE - OVERBED
TP/HS	TELEPHONE - HANDSET, STANDARD
TV	TELEVISION
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
V6	VINYL FLOORING, NON SLIP - TEXTURED
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG	WASTE BIN - GENERAL
WPP	WALL PROTECTION PANEL



PLAN



ELEVATION 1

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	04.04.22	ES	
2	GENERAL REVISION	30.08.11	SK					
3	GENERAL REVISION	31.10.12	CT					



International Health Facility Guidelines at:  
[www.healthdesign.com.au/iHFG](http://www.healthdesign.com.au/iHFG)  
 Editable version of Standard Components on  
 Health Facility Briefing System (HFBS) at:  
[www.healthdesign.com.au/TAHPI](http://www.healthdesign.com.au/TAHPI)



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
ES	CC	04.04.22	1 : 50	1 OF 4
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
1br-is-p-28-i		1br-is-p-28-i-1		4

# iHFG Standard Components

## Room Layout Sheet

Room Name | **1 Bed Room - Isolation - Positive Pressure, 28m<sup>2</sup>**



RLS Room Code

1br-is-p-28-i


RDS Room Code

1br-is-p-28-i


- AS ADJUSTABLE SHELF
- BD/IE BED - INPATIENT, ELECTRIC
- BH/PB BULKHEAD - PLASTERBOARD, PAINT FINISH
- BLK LOCKER - BEDSIDE
- BLVI BLIND - VENETIAN, INTEGRAL
- BRCSB BRACKET - SUCTION BOTTLE
- BRCTVW BRACKET - TELEVISION, WALL MOUNTED
- CBD/SP CUPBOARD - SPECIAL
- CBD/WD CUPBOARD - WARDROBE
- CG CORNER GUARD
- CHR/V CHAIR - VISITOR
- COM/2 COMMUNICATION OUTLET - DOUBLE
- COM/IPTV COMMUNICATION OUTLET - INTERNET PROTOCOL TELEVISION
- CPS CURTAIN - PRIVACY SCREEN
- CTPS CURTAIN TRACK - PRIVACY SCREEN
- DDG DISPENSER - DISPOSABLE GLOVES
- DFP DOOR AND DOOR FRAME PROTECTION
- DGL DOUBLE GLAZED
- DHS DISPENSER - HAND SANITISER
- DHT DISPENSER - PAPER HAND TOWEL
- DIAS DIALYSIS STATION
- DSA DISPENSER - SOAP, ANTISEPTIC
- DWR DRAWER
- EC EMERGENCY CALL
- FS FIXED SHELF
- HGR HANGING RAIL
- HWB/B HAND WASH BASIN - TYPE 'B'
- L/NL LIGHT - NIGHT LIGHT
- L/RL LIGHT - READING LIGHT
- LS/3 LIGHT SWITCH - 3 GANG
- LS/E LIGHT SWITCH - ENSUITE
- LS/EL LIGHT SWITCH - EXAMINATION LIGHT
- MA MEDICAL AIR
- O2 OXYGEN
- OPV OBSERVATION PANEL WITH INTEGRAL VENETIAN BLINDS
- OWIN OBSERVATION WINDOW
- PC PATIENT CALL
- PCH PATIENT CALL HANDSET
- PO/1 POWER OUTLET - SINGLE
- PO/1E POWER OUTLET - EMERGENCY, SINGLE
- PO/2E POWER OUTLET - EMERGENCY, DOUBLE
- PO/C POWER OUTLET - CLEANER'S
- S SUCTION
- SAC STAFF ASSIST CALL
- SB SUCTION BOTTLE
- SBK SPLASHBACK
- SK4 FLOOR VINYL COVED SKIRTING
- SP SERVICES PANEL
- TAP/ST TAPWARE - SENSOR TAP
- TB/O TABLE - OVERBED
- TP/HS TELEPHONE - HANDSET, STANDARD
- TV TELEVISION
- WBC/20 WASTE BIN - CLINICAL, 20 LITRE
- WBG WASTE BIN - GENERAL
- WP/L WALL PANEL, LAMINATE
- WPF WALL PAINT FINISH
- WPP WALL PROTECTION PANEL




**ELEVATION 2**




**ELEVATION 3**



**ELEVATION 5**



**ELEVATION 6**



**ELEVATION 4**

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	04.04.22	ES	
2	GENERAL REVISION	30.08.11	SK					
3	GENERAL REVISION	31.10.12	CT					



International Health Facility Guidelines at:  
[www.healthdesign.com.au/iHFG](http://www.healthdesign.com.au/iHFG)  
 Editable version of Standard Components on  
 Health Facility Briefing System (HFBS) at:  
[www.healthdesign.com.au](http://www.healthdesign.com.au) ©TAHPI



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
ES	CC	04.04.22	1 : 50	2 OF 4
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
1br-is-p-28-i		1br-is-p-28-i-2		4

# iHFG Standard Components

## Room Layout Sheet

RLS Room Code

1br-is-p-28-i

Room Name | 1 Bed Room - Isolation - Positive Pressure, 28m<sup>2</sup>

RDS Room Code


1br-is-p-28-i

### GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECT TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

### CEILING LEGEND:



- BH/PB | PLASTERBOARD BULKHEAD, PAINT FINISH
- PB-PC4 | PLASTERBOARD FLUSH SET CEILING, PAINT FINISH WITH POWDERCOAT ALUMINIUM CORNICE, SHADOW ANGLE 24mm
- | GRID LINE

### ELECTRICAL LEGEND:


- L/CC | LIGHTING - COLOUR CORRECTED
- L/DR | LIGHT - DOWNLIGHT, RECESSED
- L/DEX | LIGHT - DOWNLIGHT, EXAMINATION

### MECHANICAL LEGEND:

- | SUPPLY AIR GRILLE PRESSURE POSITIVE
- | EXHAUST GRILLE

### FIRE SERVICES LEGEND:

- | SMOKE DETECTOR
- ⊙ | SPRINKLER



**REFLECTED CEILING PLAN**

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY																								
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	04.04.22	ES	iHFG																								
2	GENERAL REVISION	30.08.11	SK																													
3	GENERAL REVISION	31.10.12	CT																													
<table border="1"> <thead> <tr> <th>DESIGNED</th> <th>APPROVED</th> <th>DATE</th> <th>SCALE(S)</th> <th>SHEET</th> </tr> </thead> <tbody> <tr> <td>ES</td> <td>CC</td> <td>04.04.22</td> <td>1 : 50</td> <td>3 OF 4</td> </tr> <tr> <td colspan="2"> <table border="1"> <thead> <tr> <th>REVIT FILE NAME</th> <th>PAPER DRAWING ID</th> <th>ISSUE</th> </tr> </thead> <tbody> <tr> <td>1br-is-p-28-i</td> <td>1br-is-p-28-i-3</td> <td>4</td> </tr> </tbody> </table> </td> <td colspan="2"></td> <td></td> </tr> </tbody> </table>								DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	ES	CC	04.04.22	1 : 50	3 OF 4	<table border="1"> <thead> <tr> <th>REVIT FILE NAME</th> <th>PAPER DRAWING ID</th> <th>ISSUE</th> </tr> </thead> <tbody> <tr> <td>1br-is-p-28-i</td> <td>1br-is-p-28-i-3</td> <td>4</td> </tr> </tbody> </table>		REVIT FILE NAME	PAPER DRAWING ID	ISSUE	1br-is-p-28-i	1br-is-p-28-i-3	4				<p>International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au @TAHPI</p>			
DESIGNED	APPROVED	DATE	SCALE(S)	SHEET																												
ES	CC	04.04.22	1 : 50	3 OF 4																												
<table border="1"> <thead> <tr> <th>REVIT FILE NAME</th> <th>PAPER DRAWING ID</th> <th>ISSUE</th> </tr> </thead> <tbody> <tr> <td>1br-is-p-28-i</td> <td>1br-is-p-28-i-3</td> <td>4</td> </tr> </tbody> </table>		REVIT FILE NAME	PAPER DRAWING ID	ISSUE	1br-is-p-28-i	1br-is-p-28-i-3	4																									
REVIT FILE NAME	PAPER DRAWING ID	ISSUE																														
1br-is-p-28-i	1br-is-p-28-i-3	4																														

# iHFG Standard Components

Room Layout Sheet

RLS Room Code


1br-is-p-28-i

RDS Room Code


1br-is-p-28-i

Room Name


1 Bed Room - Isolation - Positive Pressure, 28m<sup>2</sup>



ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY															
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	04.04.22	ES																
2	GENERAL REVISION	30.08.11	SK																				
3	GENERAL REVISION	31.10.12	CT																				
								<table border="1"> <thead> <tr> <th>DESIGNED</th> <th>APPROVED</th> <th>DATE</th> <th>SCALE(S)</th> <th>SHEET</th> </tr> </thead> <tbody> <tr> <td>ES</td> <td>CC</td> <td>04.04.22</td> <td></td> <td>4 OF 4</td> </tr> <tr> <td colspan="2"> <b>REVIT FILE NAME</b> 1br-is-p-28-i                 </td> <td colspan="2"> <b>PAPER DRAWING ID</b> 1br-is-p-28-i-4                 </td> <td> <b>ISSUE</b> 4                 </td> </tr> </tbody> </table>	DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	ES	CC	04.04.22		4 OF 4	<b>REVIT FILE NAME</b> 1br-is-p-28-i		<b>PAPER DRAWING ID</b> 1br-is-p-28-i-4		<b>ISSUE</b> 4
DESIGNED	APPROVED	DATE	SCALE(S)	SHEET																			
ES	CC	04.04.22		4 OF 4																			
<b>REVIT FILE NAME</b> 1br-is-p-28-i		<b>PAPER DRAWING ID</b> 1br-is-p-28-i-4		<b>ISSUE</b> 4																			

 International Health Facility Guidelines

International Health Facility Guidelines at:  
www.healthdesign.com.au/iHFG  
Editable version of Standard Components on  
Health Facility Briefing System (HFBS) at:  
www.healthdesign.com.au ©TAHPI



This document is for advisory purpose only