

iHFG Standard Components

Room Layout Sheet

Room Name **Catheter Lab Control/ Reporting Room**

RLS Room Code


clcrt-i

RDS Room Code


clcrt-i

AS	ADJUSTABLE SHELF
BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BNL	BENCH - LAMINATE
CAC	CABLE ACCESS CAP
CHR/EH	CHAIR - ERGONOMIC, HIGH
CMP	COMPUTER
COM/2	COMMUNICATION OUTLET - DOUBLE
H/H	HOOK - HEAVY DUTY
IM/CC	IMAGING - CONSOLE, CONTROL
INT	INTERCOM
KP	KICKPLATE
L/PT	LIGHT - PELMET TASK LIGHT
LS/P	LIGHT SWITCH - PELMET
LS/R	LIGHT SWITCH - ROOM
LVP	LAMINATE VERTICAL SUPPORT PANEL
OP	OBSERVATION PANEL
OWIN/LG	OBSERVATION WINDOW - LEAD GLASS
PDU/M	PEDESTAL DRAWER UNIT - MOBILE
PO/2E	POWER OUTLET - EMERGENCY, DOUBLE
PO/2U	UNINTERRUPTED POWER SUPPLY - DOUBLE
PRT/N	PRINTER - NETWORKED
SK4	FLOOR VINYL COVERED SKIRTING
SUOA	SHELVING UNIT - OVER BENCH, ADJUSTABLE
TP/HS	TELEPHONE - HANDSET, STANDARD
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
WBG/20	WASTE BIN - GENERAL, 20L
WPF	WALL PAINT FINISH


NOTE:
RADIATION SHIELDING REQUIREMENTS TO BE PROVIDED BY A QUALIFIED RADIATION SHIELDING CONSULTANT




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.09.22	BK	
2	GENERAL REVISION	30.08.11	MT					
3	GENERAL REVISION	31.10.12	KC					



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
BK	DB	22.09.22	1:50 in A3	1 OF 2
CAD FILE NAME		PAPER DRAWING ID		ISSUE
clcrt-i		clcrt-i-1		4

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name **Catheter Lab Control/ Reporting Room**

RLS Room Code

clcr-i

RDS Room Code


clcr-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:



- ACT | ACOUSTIC CEILING TILES
- BH/PB | BULKHEAD - PLASTERBOARD, PAINT FINISH
- PC4 | POWDERCOAT ALUMINIUM CORNICE, SHADOW LINE
-  | TILE CEILING GRID (600 x 600)

 CEILING TYPE
HEIGHT ABOVE F.F.L.



ELECTRICAL LEGEND:


-  | LIGHT - LED LIGHT

MECHANICAL LEGEND:


-  | SUPPLY AIR GRILLE
-  | RETURN AIR GRILLE



FIRE SERVICES LEGEND:

-  | SMOKE DETECTOR
-  | SPRINKLER



REFLECTED CEILING PLAN

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.10	CC	4	GENERAL REVISION	22.09.22	BK	
2	GENERAL REVISION	30.08.11	MT					
3	GENERAL REVISION	31.10.12	KC					

	International Health Facility Guidelines		International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI			DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
						BK	DB	22.09.22	1:50 in A3	2 OF 2
						CAD FILE NAME	PAPER DRAWING ID		ISSUE	
						clcr-i	clcr-i-2		4	

This document is for advisory purpose only