

iHFG Standard Components

Room Layout Sheet

Room Name **Clean Utility - Sub, 8m2**


RLS Room Code

clur-8-i


RDS Room Code

clur-8-i


AS	ADJUSTABLE SHELF
BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BNL	BENCH - LAMINATE
BRCS	BRACKETS - SHARPS
COM/2	COMMUNICATION OUTLET - DOUBLE
CBD/UB	CUPBOARD - UNDER BENCH
CBD/WL	CUPBOARD - WALL MOUNTED, LOCKABLE
CSA	CARD ACCESS
DDG	DISPENSER - DISPOSABLE GLOVES
DFP	DOOR & FRAME PROTECTION
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - HAND TOWEL
DS	DISPENSER - SOAP
DSA	DISPENSER - SOAP ANTISEPTIC
HWB/B	HAND WASH BASIN - TYPE 'B'
L/PT	LIGHT - PELMET TASK LIGHT
LS/P	LIGHT SWITCH - PELMET TASK LIGHT
LS/R	LIGHT SWITCH - ROOM
OP	OBSERVATION PANEL
PO/1	POWER OUTLET - SINGLE
SBIN	SHARPS BIN
SK4	FLOOR VINYL COVERED SKIRTING
SUH	SHELVING UNIT - HEAVY DUTY
T/D	TROLLEY - DRESSING
TAP/ST	TAPWARE - SENSOR TAP
TP/HS	TELEPHONE - HANDSET, STANDARD
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
WBG/20	WASTE BIN, GENERAL, 20 LITRE
WPF	WALL PAINT FINISH
WV	WALL VINYL




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	05.03.17	RC					
2	GENERAL REVISION	27.01.23	AM					

iHFG Standard Components

Room Layout Sheet

Room Name **Clean Utility - Sub, 8m2**

RLS Room Code

clur-8-i

RDS Room Code

clur-8-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.


ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECT TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:



- BH/PB BULKHEAD - PLASTERBOARD, PAINT FINISH
- PB PLASTERBOARD FLUSH SET CEILING, PAINT
- PC4 SHADOW ANGLE, POWDERCOAT ALUMINIUM CORNICE

-  CEILING TYPE
-  HEIGHT ABOVE F.F.L.



ELECTRICAL LEGEND:


-  LIGHT - LED LIGHT

MECHANICAL LEGEND:

-  SUPPLY AIR GRILLE
-  RETURN AIR GRILLE



FIRE SERVICES LEGEND:

-  SMOKE DETECTOR
-  SPRINKLER



REFLECTED CEILING PLAN

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	02.07.18	LL					
2	GENERAL REVISION	27.01.23	AM					

	International Health Facility Guidelines		International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI			DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
	AM	SA	27.01.23	1:50 in A3		2 OF 2				
	CAD FILE NAME		PAPER DRAWING ID			ISSUE				
clur-8-i		clur-8-i-2		2						

This document is for advisory purpose only