


iHFG Standard Components


Room Layout Sheet

Room Name	Consult/ Exam Room, 16 m2 - Alternate Option	RLS Room Code	cons-16-i		
		RDS Room Code	cons-16-i		


BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BLVI	BLIND - VENETIAN, INTEGRAL
BRCPM	BRACKET - PATIENT MONITOR
BRCS	BRACKET - SHARPS
BRCSB	BRACKET - SUCTION BOTTLE
CAC	CABLE ACCESS CAP
CBG	COLOURBACK GLASS
CBS	CURTAIN - BED SCREEN
CHR/E	CHAIR - ERGONOMIC, OFFICE
CHR/VO	CHAIR - VISITOR, OFFICE
CO/EX	COUCH - EXAMINATION, ELECTRIC
COH	COAT HOOK
COM/2	COMMUNICATION OUTLET - DOUBLE
COM/IPTV	COMMUNICATION OUTLET - INTERNET PROTOCOL TELEVISION
CTBS	CURTAIN TRACK - BED SCREEN
DA	DURESS ALARM
DDG	DISPENSER - DISPOSABLE GLOVES
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DK	DESK
DSA	DISPENSER - SOAP, ANTISEPTIC
FST	FOOTSTOOL
HWB/V	HAND WASH BASIN - VANITY
iGL	INTELLIGENT GLASS OR APPROVED ALTERNATE
L/EXC	LIGHT - EXAMINATION, CEILING MOUNTED
L/PT	LIGHT - PELMET TASK LIGHT
LPT	LAPTOP
LS/P	LIGHT SWITCH - PELMET TASK LIGHT
MON/PV	MONITOR - PHYSIOLOGIC, VITAL SIGNS
MR	MIRROR
PO/1	POWER OUTLET - SINGLE
PO/2	POWER OUTLET - DOUBLE
SB	SUCTION BOTTLE
SBIN	SHARPS BIN
SK4	FLOOR VINYL COVED SKIRTING
SUA	SHELVING UNIT - ADJUSTABLE
T/D	TROLLEY - DRESSING
TAP/ST	TAPWARE - SENSOR TAP
TP/HH	TELEPHONE - HANDSET, HANDSFREE
TV	TELEVISION
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
V6	VINYL FLOORING, NON SLIP - TEXTURED
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WPF	WALL PAINT FINISH



PLAN



ELEVATION 1



ELEVATION 2


REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY													
1	FIRST ISSUE	17.11.23	AK																		
 International Health Facility Guidelines								International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: @TAHP!									DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
								AK	RH	17.11.23	1 : 50	1 OF 3									
								REVIT FILE NAME cons-16-i		PAPER DRAWING ID cons-16-i-1		ISSUE 1									

iHFG Standard Components


Room Layout Sheet

Room Name	Consult/ Exam Room, 16 m2 - Alternate Option	RLS Room Code	cons-16-i
		RDS Room Code	cons-16-i

BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BRCPM	BRACKET - PATIENT MONITOR
BRCS	BRACKET - SHARPS
BRCSB	BRACKET - SUCTION BOTTLE
CBD/UB	CUPBOARD - UNDER BENCH
CBD/W	CUPBOARD - WALL MOUNTED
CBS	CURTAIN - BED SCREEN
CO/EX	COUCH - EXAMINATION, ELECTRIC
COH	COAT HOOK
COM/1	COMMUNICATION OUTLET - SINGLE
COM/2	COMMUNICATION OUTLET - DOUBLE
CTBS	CURTAIN TRACK - BED SCREEN
DBR	DISPENSER - BED ROLL
DDG	DISPENSER - DISPOSABLE GLOVES
DFP	DOOR AND DOOR FRAME PROTECTION
DGS/WM	DIAGNOSTIC SET - WALL MOUNTED
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DSA	DISPENSER - SOAP, ANTISEPTIC
EC	EMERGENCY CALL
HWB/V	HAND WASH BASIN - VANITY
L/EXC	LIGHT - EXAMINATION, CEILING MOUNTED
LS/R	LIGHT SWITCH - ROOM
MA	MEDICAL AIR
MON/PV	MONITOR - PHYSIOLOGIC, VITAL SIGNS
MR	MIRROR
O2	OXYGEN
OP	OBSERVATION PANEL
PC	PATIENT CALL
PCH	PATIENT CALL HANDSET
PO/1	POWER OUTLET - SINGLE
PO/1E	POWER OUTLET - EMERGENCY, SINGLE
PO/C	POWER OUTLET - CLEANER'S
S	SUCTION
SAC	STAFF ASSIST CALL
SB	SUCTION BOTTLE
SBIN	SHARPS BIN
SBK	SPLASHBACK
SK4	FLOOR VINYL COVED SKIRTING
T/D	TROLLEY - DRESSING
TAP/ST	TAPWARE - SENSOR TAP
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WPF	WALL PAINT FINISH



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	17.11.23	AK					
								iHFG
								DESIGNED AK
								APPROVED RH
								DATE 17.11.23
								SCALE(S) 1 : 50
								SHEET 2 OF 3
								REVIT FILE NAME cons-16-i
								PAPER DRAWING ID cons-16-i-2
								ISSUE 1

Room Layout Sheet

cons-16-i

cons-16-i

Room Name	Consult/ Exam Room, 16 m2 - Alternate Option
-----------	--

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

BP-PC2
2700

CEILING TYPE
CORNICE TYPE
HEIGHT ABOVE F.F.L.

ACT-PC4 | ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM


	CORNICE, SHADOW LINE
BH/PB	PLASTERBOARD BULKHEAD, PAINT FINISH

	TILE CEILING GRID (600 x 600)
---	-------------------------------


GRID LINE

☐ L/CC	LIGHT - COLOUR CORRECTED
☐	


	SMOKE DETECTOR
	SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 01



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	17.11.23	AK						DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
									AK	RH	17.11.23	1 : 50	3 OF 3
									REVIT FILE NAME		PAPER DRAWING ID		ISSUE
									cons-16-i		cons-16-i-3		1



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au/TAHPI



This document is for advisory purpose only