
iHFG Standard Components


Room Layout Sheet

Room Name	Consult/ Exam Room, 16 m2	RLS Room Code	cons-16-i
		RDS Room Code	cons-16-i


BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BLVI	BLIND - VENETIAN, INTEGRAL
BRCPM	BRACKET - PATIENT MONITOR
BRCS	BRACKET - SHARPS
BRCSB	BRACKET - SUCTION BOTTLE
CAC	CABLE ACCESS CAP
CBS	CURTAIN - BED SCREEN
CHR/E	CHAIR - ERGONOMIC, OFFICE
CHR/VO	CHAIR - VISITOR, OFFICE
CMP	COMPUTER
CO/EX	COUCH - EXAMINATION, ELECTRIC
COH	COAT HOOK
COM/2	COMMUNICATION OUTLET - DOUBLE
CPT/T	CARPET TILES
CTBS	CURTAIN TRACK - BED SCREEN
DA	DURESS ALARM
DDG	DISPENSER - DISPOSABLE GLOVES
DHM	DISPENSER - HAND MOISTURISER
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DK	DESK
FST	FOOTSTOOL
HWB/V	HAND WASH BASIN - VANITY
L/EXC	LIGHT - EXAMINATION, CEILING MOUNTED
L/PT	LIGHT - PELMET TASK LIGHT
LS/P	LIGHT SWITCH - PELMET TASK LIGHT
MON/PV	MONITOR - PHYSIOLOGIC, VITAL SIGNS
PN/FC	PINBOARD - FABRIC COVERED
PO/1	POWER OUTLET - SINGLE
PO/2	POWER OUTLET - DOUBLE
SB	SUCTION BOTTLE
SBIN	SHARPS BIN
SK1	MDF SKIRTING
SK4	FLOOR VINYL COVED SKIRTING
SUA	SHELVING UNIT - ADJUSTABLE
T/D	TROLLEY - DRESSING
TAP/ST	TAPWARE - SENSOR TAP
TP/HH	TELEPHONE - HANDSET, HANDSFREE
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
V6	VINYL FLOORING, NON SLIP - TEXTURED
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WPF	WALL PAINT FINISH



PLAN



ELEVATION 1



ELEVATION 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY
1	FIRST ISSUE	17.11.23	AK				

COMPATIBILITY: iHFG

DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AK	RH	17.11.23	1 : 50	1 OF 3

REVIT FILE NAME	PAPER DRAWING ID	ISSUE
cons-16-i	cons-16-i-1	1

iHFG International Health Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/ihfg
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI

ISO9001 QUALITY MANAGEMENT SYSTEM

This document is for advisory purpose only

iHFG Standard Components


Room Layout Sheet

Room Name: Consult/ Exam Room, 16 m2


RLS Room Code: cons-16-i

RDS Room Code: cons-16-i

BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BRCPM	BRACKET - PATIENT MONITOR
BRCS	BRACKET - SHARPS
BRCSB	BRACKET - SUCTION BOTTLE
CBD/UB	CUPBOARD - UNDER BENCH
CBD/W	CUPBOARD - WALL MOUNTED
CBS	CURTAIN - BED SCREEN
CO/EX	COUCH - EXAMINATION, ELECTRIC
COH	COAT HOOK
COM/1	COMMUNICATION OUTLET - SINGLE
COM/2	COMMUNICATION OUTLET - DOUBLE
CTBS	CURTAIN TRACK - BED SCREEN
DBR	DISPENSER - BED ROLL
DDG	DISPENSER - DISPOSABLE GLOVES
DFP	DOOR AND DOOR FRAME PROTECTION
DGS/WM	DIAGNOSTIC SET - WALL MOUNTED
DHM	DISPENSER - HAND MOISTURISER
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DSA	DISPENSER - SOAP, ANTISEPTIC
EC	EMERGENCY CALL
HWB/V	HAND WASH BASIN - VANITY
L/EXC	LIGHT - EXAMINATION, CEILING MOUNTED
LS/EL	LIGHT SWITCH - EXAMINATION LIGHT
LS/R	LIGHT SWITCH - ROOM
MA	MEDICAL AIR
MON/PV	MONITOR - PHYSIOLOGIC, VITAL SIGNS
MR	MIRROR
O2	OXYGEN
OP	OBSERVATION PANEL
PO/1	POWER OUTLET - SINGLE
PO/1E	POWER OUTLET - EMERGENCY, SINGLE
PO/C	POWER OUTLET - CLEANER'S
S	SUCTION
SAC	STAFF ASSIST CALL
SB	SUCTION BOTTLE
SBIN	SHARPS BIN
SBK	SPLASHBACK
SK1	MDF SKIRTING
SK4	FLOOR VINYL COVED SKIRTING
SP	SERVICES PANEL
T/D	TROLLEY - DRESSING
TAP/ST	TAPWARE - SENSOR TAP
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WP/L	WALL PANEL, LAMINATE
WPF	WALL PAINT FINISH



ELEVATION 3



ELEVATION 4

ELEVATION 5

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY
1	FIRST ISSUE	17.11.23	AK				

COMPATIBILITY: iHFG

International Health Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/ihfg
Editable version of Standard Components on Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI

ISO9001 QUALITY MANAGEMENT SYSTEM

DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AK	RH	17.11.23	1 : 50	2 OF 3

REVIT FILE NAME	PAPER DRAWING ID	ISSUE
cons-16-i	cons-16-i-2	1

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet


Room Name	Consult/ Exam Room, 16 m2	RLS Room Code	cons-16-i
		RDS Room Code	cons-16-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO
DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:



ACT-PC4	ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, SHADOW LINE
BH/PB	PLASTERBOARD BULKHEAD, PAINT FINISH
	TILE CEILING GRID (600 x 600)
	GRID LINE

ELECTRICAL LEGEND:


L/CC	LIGHT - COLOUR CORRECTED
L/DR	LIGHT - DOWNLIGHT, RECESSED

MECHANICAL LEGEND:


	SUPPLY AIR GRILLE
	RETURN AIR GRILLE

FIRE SERVICES LEGEND:


	SMOKE DETECTOR
	SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY
1	FIRST ISSUE	17.11.23	AK				

COMPATIBILITY: iHFG

International Health Facility Guidelines

International Health Facility Guidelines at:
www.healthdesign.com.au/ihfg
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au ©TAHPI

ISO9001 QUALITY MANAGEMENT SYSTEM

DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
AK	RH	17.11.23	1 : 50	3 OF 3

REVIT FILE NAME	PAPER DRAWING ID	ISSUE
cons-16-i	cons-16-i-3	1

This document is for advisory purpose only