

Room Layout Sheet


cons-ent-opt-i

cons-ent-opt-i


Consult Room - ENT/ Ophthalmology

G OF WALL 4200 G OF WALL
 EXTERNAL WINDOW WITH BLVI (OPTIONAL)
 DDG G OF HWB DSA DHT
 FLOOR=V6
 HWB/V TAP/ST WBG/20
 CH
 SLL
 TB/AH
 STAM
 CH
 CHR/VO
 CHR/VO
 CTPS
 STAM
 CHR/ENT
 SB BRCSB (OPTIONAL)
 WBC/20
 TU/ENT
 DHS DHM (OPTIONAL)
 920 C/FAR OPENING
 3900

PLAN



ELEVATION 2



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.14	NB					iHFG
2	GENERAL REVISION	31.08.22	RA					



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
[@TAHPI](http://www.healthdesign.com.au)



DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
RA	CC	26.10.22	1 : 50	1 OF 2
REVIT FILE NAME		PAPER DRAWING ID		ISSUE
cons-ent-opt-i		cons-ent-opt-i-1		2

iHFG Standard Components

Room Layout Sheet

Room Name

Consult Room - ENT/ Ophthalmology

RLS Room Code

cons-ent-opt-i

RDS Room Code

cons-ent-opt-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

BP-PC2

2700

CEILING TYPE

BP-PC2

2700

CORNICE TYPE

ACT-PC4

BH/PB

HEIGHT ABOVE F.F.L.

ACT-PC4

BH/PB

ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, SHADOW LINE

ACT-PC4

BH/PB

PLASTERBOARD BULKHEAD, PAINT FINISH

TILE CEILING GRID (600 x 600)

GRID LINE

ELECTRICAL LEGEND:

L/CC

LIGHT - COLOUR CORRECTED

MECHANICAL LEGEND:

SUPPLY AIR GRILLE

RETURN AIR GRILLE

FIRE SERVICES LEGEND:

SMOKE DETECTOR

SPRINKLER

REFLECTED CEILING PLAN

ISOMETRIC VIEW 1

ISOMETRIC VIEW 2

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	24.10.14	NB					
2	GENERAL REVISION	31.08.22	RA					