


iHFG Standard Components


Room Layout Sheet

Room Name	Consult / Exam Room - Ophthalmology	RLS Room Code	cons-opt-i
		RDS Room Code	cons-opt-i


BH/PB	BULKHEAD - PLASTERBOARD, PAINT FINISH
BLVI	BLIND - VENETIAN, INTEGRAL
BRCSB	BRACKET - SUCTION BOTTLE
CAC	CABLE ACCESS CAP
CBD/W	CUPBOARD - WALL MOUNTED
CHR/E	CHAIR - ERGONOMIC, OFFICE
CHR/VO	CHAIR - VISITOR, OFFICE
CMP	COMPUTER
COH	COAT HOOK
COM/2	COMMUNICATION OUTLET - DOUBLE
CPT/T	CARPET TILES
DDG	DISPENSER - DISPOSABLE GLOVES
DFP	DOOR AND DOOR FRAME PROTECTION
DHM	DISPENSER - HAND MOISTURISER
DHS	DISPENSER - HAND SANITISER
DHT	DISPENSER - PAPER HAND TOWEL
DK	DESK
DSA	DISPENSER - SOAP, ANTISEPTIC
EC	EMERGENCY CALL
HWB/V	HAND WASH BASIN - VANITY
LS/R	LIGHT SWITCH - ROOM
MA	MEDICAL AIR
O2	OXYGEN
OP	OBSERVATION PANEL
PN/FC	PINBOARD - FABRIC COVERED
PO/1E	POWER OUTLET - EMERGENCY, SINGLE
PO/2	POWER OUTLET - DOUBLE
PO/2E	POWER OUTLET - EMERGENCY, DOUBLE
PO/C	POWER OUTLET - CLEANER'S
PRT/N	PRINTER - NETWORKED
S	SUCTION
SAC	STAFF ASSIST CALL
SB	SUCTION BOTTLE
SK1	MDF SKIRTING
SK4	FLOOR VINYL COVED SKIRTING
SP	SERVICES PANEL
STAM	STOOL - ADJUSTABLE, MOBILE
TAP/ST	TAPWARE - SENSOR TAP
TP/HH	TELEPHONE - HANDSET, HANDSFREE
V1	VINYL FLOORING, STANDARD SLIP RESISTANT
V6	VINYL FLOORING, NON SLIP - TEXTURED
WBC/20	WASTE BIN - CLINICAL, 20 LITRE
WBG/20	WASTE BIN - GENERAL, 20 LITRE
WPF	WALL PAINT FINISH




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY
1	FIRST ISSUE	01.04.2024	AK					iHFG
International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI								
DESIGNED		APPROVED	DATE	SCALE(S)	SHEET			
AK		SS	01.04.24	1 : 50	1 OF 2			
REVIT FILE NAME			PAPER DRAWING ID		ISSUE			
cons-opt-i			cons-opt-i-1		1			

This document is for advisory purpose only

Room Layout Sheet

cons-opt-i

cons-opt-i

Room Name

Consult / Exam Room - Ophthalmology

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S.
(ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

BP-PC2
2700

CEILING TYPE
CORNICE TYPE
HEIGHT ABOVE F.F.L.

ACT-PC4 BH/PB	ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, SHADOW LINE PLASTERBOARD BULKHEAD. PAINT FINISH
------------------	--




TILE CEILING GRID (600 x 600)



GRID LINE

○ L/CC | LIGHT - COLOUR CORRECTED

SUPPLY AIR GRILLE




RETURN AIR GRILLE


SMOKE DETECTOR




SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW 1



ISOMETRIC VIEW 02

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY					
1	FIRST ISSUE	01.04.2024	AK						DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
									AK	SS	01.04.24	1 : 50	2 OF 2
									REVIT FILE NAME		PAPER DRAWING ID		ISSUE
									cons-opt-i		cons-opt-i-2		1



International Health Facility Guidelines at:
www.healthdesign.com.au/iHFG
Editable version of Standard Components on
Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au/TAHPI



This document is for advisory purpose only