

Room Layout Sheet

sstn-10-i

sstn-10-i

Staff Station, 10m²

1

900

ACCESS
FOR WHEELCHAIR
UNDER BENCH
MIN. 760 WIDE AND
MIN. 430MM RECESSED

WHEELCHAIR
OPTIONAL TO
NON-PUBLIC
ACCESSIBLE UNITS

IF DOOR PROVIDED,
MAINTAIN LATCH
SIDE CLEARANCE
FOR ACCESSIBILITY

920 CLEAR OPENING

430

250

600

850

LOCKABLE COUNTER
HEIGHT DOOR
(OPTIONAL)

MGP

OPTIONAL DOOR
TO OFFICE -
CLINICAL
WRITE UP

920 CLEAR OPENING

LOCKABLE COUNTER
HEIGHT DOOR
(OPTIONAL)

IF DOOR PROVIDED,
MAINTAIN LATCH
SIDE CLEARANCE
FOR ACCESSIBILITY

920

250

600

90

920 CLEAR OPENING

3000

3500

COMBINED
HR AND CR

TIMBER/
LAMINATE
CRT

CRT
TIMBER

2

CMP

TP/HS

WBP/20

CHR/E

MONITOR NURSE CALL DISPLAY

DA (OPTIONAL)

PDU/M

ANDC

CHR/E

TP/HS

CMP


CAC

PDU/M


FLOOR=V1
CPT (OPTIONAL)

G OF WALL


PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

This document is for advisory purpose only

iHFG Standard Components

Room Layout Sheet

Room Name

Staff Station, 10m²

RLS Room Code

sstn-10-i

RDS Room Code

sstn-10-i

GENERAL NOTES:

THIS DRAWING TO BE READ IN CONJUNCTION WITH R.D.S. (ROOM DATA SHEETS) WHICH TAKES PRECEDENCE.

ALL SERVICES INDICATED ARE INDICATIVE AND SUBJECTED TO DETAILED PROJECT SPECIFIC ENGINEERING DESIGN.

CEILING LEGEND:

BP-PC2

2700

CEILING TYPE

CORNICE TYPE

HEIGHT ABOVE F.F.L.

ACT-PC5

BH/PB

GRID LINE

ACOUSTIC CEILING TILES WITH POWDERCOAT ALUMINIUM CORNICE, FLUSHED AGAINST WALL

BULKHEAD - PLASTERBOARD, PAINT FINISH

TILE CEILING GRID (600 x 600)

ELECTRICAL LEGEND:

L/DR

LIGHT - DOWNLIGHT, RECESSED (OPTIONAL)

L/LL

LIGHT - LED LIGHT


MECHANICAL LEGEND:

SUPPLY AIR GRILLE


FIRE SERVICES LEGEND:

SMOKE DETECTOR

SPRINKLER



REFLECTED CEILING PLAN



ISOMETRIC VIEW

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	COMPATIBILITY																				
1	FIRST ISSUE	24.10.10	LL	4	GENERAL REVISION	25.05.23	AM	iHFG																				
2	GENERAL REVISION	30.08.11	SK																									
3	GENERAL REVISION	31.10.12	KC																									
iHFG International Health Facility Guidelines International Health Facility Guidelines at: www.healthdesign.com.au/iHFG Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au ©TAHPI ISO 9001 QUALITY MANAGEMENT SYSTEM <table><tr><th>DESIGNED</th><th>APPROVED</th><th>DATE</th><th>SCALE(S)</th><th>SHEET</th></tr><tr><td>RA</td><td>SA</td><td>25.05.23</td><td>1 : 50</td><td>2 OF 2</td></tr><tr><td colspan="2">REVIT FILE NAME</td><td colspan="2">PAPER DRAWING ID</td><td>ISSUE</td></tr><tr><td colspan="2">sstn-10-i</td><td colspan="2">sstn-10-i-2</td><td>4</td></tr></table>									DESIGNED	APPROVED	DATE	SCALE(S)	SHEET	RA	SA	25.05.23	1 : 50	2 OF 2	REVIT FILE NAME		PAPER DRAWING ID		ISSUE	sstn-10-i		sstn-10-i-2		4
DESIGNED	APPROVED	DATE	SCALE(S)	SHEET																								
RA	SA	25.05.23	1 : 50	2 OF 2																								
REVIT FILE NAME		PAPER DRAWING ID		ISSUE																								
sstn-10-i		sstn-10-i-2		4																								

This document is for advisory purpose only